

## 3 Receiving notification on unsupported items

### Overview

Receiving notifications on unsupported items is a new functionality in Zabbix 2.2.

It is part of the new concept of internal events in Zabbix, allowing users to be notified on these occasions. Internal events reflect a change of state:

- when items go from 'normal' to 'unsupported' (and back)
- when triggers go from 'normal' to 'unknown' (and back)
- when low-level discovery rules go from 'normal' to 'unsupported' (and back)

This section presents a how-to for **receiving notification** when an item turns unsupported.

### Configuration

Overall, the process of setting up the notification should feel familiar to those who have set up alerts in Zabbix before.


#### Step 1

Configure [some media](#), such as e-mail, SMS or Jabber, to use for the notifications. Refer to the corresponding sections of the manual to perform this task.

For notifying on internal events the default severity ('Not classified') is used, so leave it checked when configuring [user media](#) if you want to receive notifications for internal events.

#### Step 2

Go to *Configuration*→*Actions* and select *Internal* as the event source. Click on *Create action* on the upper right to open an action configuration form.



#### Step 3

In the **Action** tab enter a name for the action and the subject/content of problem and recovery messages.

**Action** **Conditions** **Operations**

Name:

Default subject:

Default message:

Recovery message:

Recovery subject:

Recovery message:

Enabled:

#### Step 4

In the **Conditions** tab select *Event type* in the New condition block and select *Item in "not supported" state* as the value.

**Action** **Conditions** **Operations**

Label	Name	Action
(A)	Event type = Item in "not supported" state	<a href="#">Remove</a>

New condition:  =

- Item in "not supported" state
- Item in "normal" state
- Low-level discovery rule in "not supported" state
- Low-level discovery rule in "normal" state
- Trigger in "unknown" state
- Trigger in "normal" state

Don't forget to click on *Add* to actually list the condition in the *Conditions* block.

#### Step 5

In the **Operations** tab, click on *New* and select some recipients of the message (user groups/users) and the media types (or 'All') to use for delivery.

Steps	Details	Start in	Duration (sec)	Action
1	Send message to user groups: Zabbix admins via Email	Immediately	Default	<a href="#">Edit</a> <a href="#">Remove</a>
2	Send message to user groups: Zabbix admins via Email	00:05:00	Default	<a href="#">Edit</a> <a href="#">Remove</a>

Operation details

Step: From:  To:  (0 - infinitely) Step duration:  (minimum 60 seconds, 0 - use action default)

Operation type: Send message

Send to User groups:

User group	Action
Zabbix admins	<a href="#">Remove</a>

[Add](#)

Send to Users:

User	Action
------	--------

[Add](#)

Send only to:

Default message:

[Update](#) [Cancel](#)

[Save](#) [Cancel](#)

Click on *Add* to actually list the operation in the *Action operations* block.

If you wish to receive more than one notification, set the operation step duration (interval between messages sent) and add another operation.

When finished, click on the **Save** button underneath the form.

And that's it, you're done! Now you can look forward to receiving your first notification from Zabbix if some item turns unsupported.

From: <https://www.zabbix.com/documentation/2.2/> - **Zabbix Documentation 2.2**

Permanent link: [https://www.zabbix.com/documentation/2.2/manual/config/notifications/unsupported\\_item](https://www.zabbix.com/documentation/2.2/manual/config/notifications/unsupported_item)

Last update: **2014/11/06 14:15**

