

# delete()

Available since version: **1.8**

This function allows you to delete information about one or several templates. All template-related information will be removed including items, graphs, macros, application, etc.

## Parameters

Parameter	Type	Optional	Description	Details
<b>templateids</b>	array		Array of Template IDs	

## Returns

Parameter	Description
<b>result</b>	Operation successful. Result will contain array of deleted Template IDs.
<b>error</b>	In case of any errors

## Example

```
{
  "jsonrpc": "2.0",
  "method": "template.delete",
  "params": [
    {
      "templateid": 107824
    },
    {
      "templateid": 107825
    }
  ],
  "auth": "3a57200802b24cda67c4e4010b50c065",
  "id": 2
}
```

Templates deleted successfully:

```
{
  "jsonrpc": "2.0",
  "result": {
    "templateids": ["107824", "107825"]
  },
  "id": 2
}
```

Template does not exist:

```
{
  "jsonrpc": "2.0",
  "error": {
    "code": -32500,
    "message": "Application error.",
    "data": "[ CTemplate::delete ] Template does not exist"
  },
  "id": 2
}
```

From:

<https://www.zabbix.com/documentation/1.8/> - **Zabbix Documentation 1.8**

Permanent link:

<https://www.zabbix.com/documentation/1.8/api/template/delete>

Last update: **2014/09/25 14:40**

