

Manpage of ZABBIX_GET

ZABBIX_GET

Section: Maintenance Commands (8)

Updated: 5 July 2011

[Index](#) [Return to Main Contents](#)

NAME

zabbix_get - Zabbix get utility.

SYNOPSIS

zabbix_get [-hV] [-s <host name or IP>] [-p <port number>] [-I <IP address>] [-k <item key>]

DESCRIPTION

zabbix_get is a command line utility for getting data from a remote Zabbix agent.

Options

- s, --host <host name or IP>
Specify host name or IP address of a host.
- p, --port <port number>
Specify port number of agent running on the host. Default is 10050.
- I, --source-address <IP address>
Specify source IP address.
- k, --key <item key>
Specify key of item to retrieve value for.
- h, --help
Display this help and exit.
- V, --version
Output version information and exit.

EXAMPLES

zabbix_get -s 127.0.0.1 -p 10050 -k system.cpu.load[all,avg1]

SEE ALSO

[zabbix_agentd\(8\)](#), [zabbix_proxy\(8\)](#), [zabbix_sender\(8\)](#), [zabbix_server\(8\)](#)

AUTHOR

Alexei Vladishev <alex@zabbix.com>

Index

[NAME](#)
[SYNOPSIS](#)
[DESCRIPTION](#)

[Options](#)

[EXAMPLES](#)
[SEE ALSO](#)
[AUTHOR](#)

This document was created by man2html, using the manual pages.
Time: 14:47:43 GMT, July 23, 2012

From:

<https://www.zabbix.com/documentation/2.2/> - **Zabbix Documentation 2.2**

Permanent link:

https://www.zabbix.com/documentation/2.2/manpages/zabbix_get

Last update: **2014/09/25 14:41**

