

# hostinterface.update

## Description

object `hostinterface.update(object/array hostInterfaces)`

This method allows to update existing host interfaces.

## Parameters

(object/array) [Host interface properties](#) to be updated.

The `interfaceid` property must be defined for each host interface, all other properties are optional. Only the given properties will be updated, all others will remain unchanged.

## Return values

(object) Returns an object containing the IDs of the updated host interfaces under the `interfaceids` property.

## Examples

### Changing a host interface port

Change the port of a host interface.

Request:

```
{
  "jsonrpc": "2.0",
  "method": "hostinterface.update",
  "params": {
    "interfaceid": "30048",
    "port": "30050"
  },
  "auth": "038e1d7b1735c6a5436ee9eae095879e",
  "id": 1
}
```

Response:

```
{
  "jsonrpc": "2.0",
  "result": {
```

```
    "interfaceids": [
      "30048"
    ],
    "id": 1
  }
```

## Source

CHostInterface::update() in *frontends/php/include/classes/api/services/CHostInterface.php*.

From: <https://www.zabbix.com/documentation/2.4/> - **Zabbix Documentation 2.4**

Permanent link: <https://www.zabbix.com/documentation/2.4/manual/api/reference/hostinterface/update>

Last update: **2019/01/28 14:49**

