

trigger.deletedependencies

Description

object `trigger.deletedependencies(string/array triggers)`

This method allows to delete all trigger dependencies from the given triggers.

Parameters

(string/array) Triggers to delete the trigger dependencies from.

Return values

(object) Returns an object containing the IDs of the affected triggers under the `triggerids` property.

Examples

Deleting dependencies from multiple triggers

Delete all dependencies from two triggers.

Request:

```
{
  "jsonrpc": "2.0",
  "method": "trigger.deleteDependencies",
  "params": [
    {
      "triggerid": "14544"
    },
    {
      "triggerid": "14545"
    }
  ],
  "auth": "038e1d7b1735c6a5436ee9eae095879e",
  "id": 1
}
```

Response:

```
{
  "jsonrpc": "2.0",
```

```
"result": {
  "triggerids": [
    "14544",
    "14545"
  ],
  "id": 1
}
```

See also

- [trigger.update](#)

Source

CTrigger::deleteDependencies() in *frontends/php/include/classes/api/services/CTrigger.php*.

From: <https://www.zabbix.com/documentation/2.4/> - **Zabbix Documentation 2.4**

Permanent link: <https://www.zabbix.com/documentation/2.4/manual/api/reference/trigger/deletedependencies>

Last update: **2019/01/28 14:49**

