

# 1 Macros supported by location

## Overview

The table contains a complete list of macros supported by Zabbix.

- **X** means “supported” in that location
- The numbered macro syntax of {MACRO<1-9>} is used to reference hosts in the order in which they appear in a trigger expression. Thus, macros like {HOST.IP1}, {HOST.IP2}, {HOST.IP3} will expand to the IP of the first, second and third host in the trigger expression, providing the expression contains those hosts. Additionally {HOST.HOST<1-9>} is supported within {host:key.func(param)} macro in graph names. For example, {{HOST.HOST2}:key.func()} in the graph name will refer to the host of the second item in the graph.

	▼DESCRIPTION▼																			
	URL field of dynamic URL <b>screen</b> element																			
	Low-level discovery rule filter regular <b>expressions</b>																			
	Graph <b>names</b>																			
	Web <b>monitoring</b> <sup>6</sup>																			
	DB monitoring additional <b>parameters</b> , SSH and Telnet <b>scripts</b>																			
	Host interface <b>IP/DNS</b>																			
	Item <b>names</b>																			
	Trigger <b>names</b> and descriptions																			
	Trigger <b>expressions</b>																			
	Map <b>URLs</b>																			
	Icon <b>labels</b> in maps <sup>4</sup>																			
	Item key <b>parameters</b>																			
	Global <b>scripts</b> including confirmation text																			
	Low-level discovery rule based <b>internal</b> notifications																			
	Item based <b>internal</b> notifications																			
	Trigger based <b>internal</b> notifications																			
	Auto registration <b>notifications</b>																			
	Discovery <b>notifications</b>																			
	Trigger-based <b>notifications</b> and commands																			
▼MACRO▼	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
{ACTION.ID}	X	X	X	X	X	X														Numeric ID of the triggered action. Supported since 2.2.0.
{ACTION.NAME}	X	X	X	X	X	X														Name of the triggered action. Supported since 2.2.0.
{DATE}	X	X	X	X	X	X														Current date in yyyy.mm.dd. format.
{DISCOVERY.DEVICE.IPADDRESS}		X																		IP address of the discovered device. Available always, does not depend on host being added.
{DISCOVERY.DEVICE.DNS}		X																		DNS name of the discovered device. Available always, does not depend on host being added.
{DISCOVERY.DEVICE.STATUS}		X																		Status of the discovered device: can be either UP or DOWN.
{DISCOVERY.DEVICE.UPTIME}		X																		Time since the last change of discovery status for a particular device. For example: 1h 29m. For devices with status DOWN, this is the period of their downtime.
{DISCOVERY.RULE.NAME}		X																		Name of the discovery rule that discovered the presence or absence of the device or service.
{DISCOVERY.SERVICE.NAME}		X																		Name of the service that was discovered. For example: HTTP.
{DISCOVERY.SERVICE.PORT}		X																		Port of the service that was discovered. For example: 80.
{DISCOVERY.SERVICE.STATUS}		X																		Status of the discovered service: can be either UP or DOWN.



	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
{INVENTORY.CHASSIS<1-9>}	X			X	X	X														Chassis field in host inventory.
{INVENTORY.CONTACT<1-9>}	X			X	X	X														Contact field in host inventory. {PROFILE . CONTACT<1-9>} is deprecated.
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
{INVENTORY.CONTRACT.NUMBER<1-9>}	X			X	X	X														Contract number field in host inventory.
{INVENTORY.DEPLOYMENT.STATUS<1-9>}	X			X	X	X														Deployment status field in host inventory.
{INVENTORY.HARDWARE<1-9>}	X			X	X	X														Hardware field in host inventory. {PROFILE . HARDWARE<1-9>} is deprecated.
{INVENTORY.HARDWARE.FULL<1-9>}	X			X	X	X														Hardware (Full details) field in host inventory.
{INVENTORY.HOST.NETMASK<1-9>}	X			X	X	X														Host subnet mask field in host inventory.
{INVENTORY.HOST.NETWORKS<1-9>}	X			X	X	X														Host networks field in host inventory.
{INVENTORY.HOST.ROUTER<1-9>}	X			X	X	X														Host router field in host inventory.
{INVENTORY.HW.ARCH<1-9>}	X			X	X	X														Hardware architecture field in host inventory.
{INVENTORY.HW.DATE.DECOMM<1-9>}	X			X	X	X														Date hardware decommissioned field in host inventory.
{INVENTORY.HW.DATE.EXPIRY<1-9>}	X			X	X	X														Date hardware maintenance expires field in host inventory.
{INVENTORY.HW.DATE.INSTALL<1-9>}	X			X	X	X														Date hardware installed field in host inventory.
{INVENTORY.HW.DATE.PURCHASE<1-9>}	X			X	X	X														Date hardware purchased field in host inventory.
{INVENTORY.INSTALLER.NAME<1-9>}	X			X	X	X														Installer name field in host inventory.
{INVENTORY.LOCATION<1-9>}	X			X	X	X														Location field in host inventory. {PROFILE . LOCATION<1-9>} is deprecated.
{INVENTORY.LOCATION.LAT<1-9>}	X			X	X	X														Location latitude field in host inventory.
{INVENTORY.LOCATION.LON<1-9>}	X			X	X	X														Location longitude field in host inventory.
{INVENTORY.MACADDRESS.A<1-9>}	X			X	X	X														MAC address A field in host inventory. {PROFILE . MACADDRESS<1-9>} is deprecated.
{INVENTORY.MACADDRESS.B<1-9>}	X			X	X	X														MAC address B field in host inventory.
{INVENTORY.MODEL<1-9>}	X			X	X	X														Model field in host inventory.
{INVENTORY.NAME<1-9>}	X			X	X	X														Name field in host inventory. {PROFILE . NAME<1-9>} is deprecated.
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
{INVENTORY.NOTES<1-9>}	X			X	X	X														Notes field in host inventory. {PROFILE . NOTES<1-9>} is deprecated.
{INVENTORY.OOB.IP<1-9>}	X			X	X	X														OOB IP address field in host inventory.
{INVENTORY.OOB.NETMASK<1-9>}	X			X	X	X														OOB subnet mask field in host inventory.
{INVENTORY.OOB.ROUTER<1-9>}	X			X	X	X														OOB router field in host inventory.
{INVENTORY.OS<1-9>}	X			X	X	X														OS field in host inventory. {PROFILE . OS<1-9>} is deprecated.
{INVENTORY.OS.FULL<1-9>}	X			X	X	X														OS (Full details) field in host inventory.
{INVENTORY.OS.SHORT<1-9>}	X			X	X	X														OS (Short) field in host inventory.
{INVENTORY.POC.PRIMARY.CELL<1-9>}	X			X	X	X														Primary POC cell field in host inventory.
{INVENTORY.POC.PRIMARY.EMAIL<1-9>}	X			X	X	X														Primary POC email field in host inventory.
{INVENTORY.POC.PRIMARY.NAME<1-9>}	X			X	X	X														Primary POC name field in host inventory.
{INVENTORY.POC.PRIMARY.NOTES<1-9>}	X			X	X	X														Primary POC notes field in host inventory.
{INVENTORY.POC.PRIMARY.PHONE.A<1-9>}	X			X	X	X														Primary POC phone A field in host inventory.
{INVENTORY.POC.PRIMARY.PHONE.B<1-9>}	X			X	X	X														Primary POC phone B field in host inventory.
{INVENTORY.POC.PRIMARY.SCREEN<1-9>}	X			X	X	X														Primary POC screen name field in host inventory.
{INVENTORY.POC.SECONDARY.CELL<1-9>}	X			X	X	X														Secondary POC cell field in host inventory.
{INVENTORY.POC.SECONDARY.EMAIL<1-9>}	X			X	X	X														Secondary POC email field in host inventory.
{INVENTORY.POC.SECONDARY.NAME<1-9>}	X			X	X	X														Secondary POC name field in host inventory.
{INVENTORY.POC.SECONDARY.NOTES<1-9>}	X			X	X	X														Secondary POC notes field in host inventory.

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
{INVENTORY.POC.SECONDARY.PHONE.A<1-9>}	X			X	X	X														Secondary POC phone A field in host inventory.
{INVENTORY.POC.SECONDARY.PHONE.B<1-9>}	X			X	X	X														Secondary POC phone B field in host inventory.
{INVENTORY.POC.SECONDARY.SCREEN<1-9>}	X			X	X	X														Secondary POC screen name field in host inventory.
{INVENTORY.SERIALNO.A<1-9>}	X			X	X	X														Serial number A field in host inventory. {PROFILE.SERIALNO<1-9>} is deprecated.
{INVENTORY.SERIALNO.B<1-9>}	X			X	X	X														Serial number B field in host inventory.
{INVENTORY.SITE.ADDRESS.A<1-9>}	X			X	X	X														Site address A field in host inventory.
{INVENTORY.SITE.ADDRESS.B<1-9>}	X			X	X	X														Site address B field in host inventory.
{INVENTORY.SITE.ADDRESS.C<1-9>}	X			X	X	X														Site address C field in host inventory.
{INVENTORY.SITE.CITY<1-9>}	X			X	X	X														Site city field in host inventory.
{INVENTORY.SITE.COUNTRY<1-9>}	X			X	X	X														Site country field in host inventory.
{INVENTORY.SITE.NOTES<1-9>}	X			X	X	X														Site notes field in host inventory.
{INVENTORY.SITE.RACK<1-9>}	X			X	X	X														Site rack location field in host inventory.
{INVENTORY.SITE.STATE<1-9>}	X			X	X	X														Site state/province field in host inventory.
{INVENTORY.SITE.ZIP<1-9>}	X			X	X	X														Site ZIP/postal field in host inventory.
{INVENTORY.SOFTWARE<1-9>}	X			X	X	X														Software field in host inventory. {PROFILE.SOFTWARE<1-9>} is deprecated.
{INVENTORY.SOFTWARE.APP.A<1-9>}	X			X	X	X														Software application A field in host inventory.
{INVENTORY.SOFTWARE.APP.B<1-9>}	X			X	X	X														Software application B field in host inventory.
{INVENTORY.SOFTWARE.APP.C<1-9>}	X			X	X	X														Software application C field in host inventory.
{INVENTORY.SOFTWARE.APP.D<1-9>}	X			X	X	X														Software application D field in host inventory.
{INVENTORY.SOFTWARE.APP.E<1-9>}	X			X	X	X														Software application E field in host inventory.
{INVENTORY.SOFTWARE.FULL<1-9>}	X			X	X	X														Software (Full details) field in host inventory.
{INVENTORY.TAG<1-9>}	X			X	X	X														Tag field in host inventory. {PROFILE.TAG<1-9>} is deprecated.
{INVENTORY.TYPE<1-9>}	X			X	X	X														Type field in host inventory. {PROFILE.DEVICETYPE<1-9>} is deprecated.
{INVENTORY.TYPE.FULL<1-9>}	X			X	X	X														Type (Full details) field in host inventory.
{INVENTORY.URL.A<1-9>}	X			X	X	X														URL A field in host inventory.
{INVENTORY.URL.B<1-9>}	X			X	X	X														URL B field in host inventory.
{INVENTORY.URL.C<1-9>}	X			X	X	X														URL C field in host inventory.
{INVENTORY.VENDOR<1-9>}	X			X	X	X														Vendor field in host inventory.
{ITEM.DESCRPTION<1-9>}	X			X	X	X														Description of the Nth item in the trigger expression that caused a notification. Supported since 2.0.0.
{ITEM.ID<1-9>}	X			X	X	X														Numeric ID of the Nth item in the trigger expression that caused a notification. Supported since 1.8.12.
{ITEM.KEY<1-9>}	X			X	X	X														Key of the Nth item in the trigger expression that caused a notification. Supported since 2.0.0. {TRIGGER.KEY} is deprecated.
{ITEM.KEY.ORIG<1-9>}	X			X	X	X														Original key (with macros not expanded) of the Nth item in the trigger expression that caused a notification. Supported since 2.0.6.
{ITEM.LASTVALUE<1-9>}	X										X									The latest value of the Nth item in the trigger expression that caused a notification. Supported since 1.4.3. It is alias to {{HOST.HOST}: {ITEM.KEY}.last() }
{ITEM.LOG.AGE<1-9>}	X																			Age of the log item event.
{ITEM.LOG.DATE<1-9>}	X																			Date of the log item event.
{ITEM.LOG.EVENTID<1-9>}	X																			ID of the event in the event log. For Windows event log monitoring only.

{ITEM.LOG.NSEVERITY<1-9>}	X																			Numeric severity of the event in the event log. For Windows event log monitoring only.	
{ITEM.LOG.SEVERITY<1-9>}	X																			Verbal severity of the event in the event log. For Windows event log monitoring only.	
{ITEM.LOG.SOURCE<1-9>}	X																			Source of the event in the event log. For Windows event log monitoring only.	
{ITEM.LOG.TIME<1-9>}	X																			Time of the log item event.	
{ITEM.NAME<1-9>}	X			X	X	X														Name of the Nth item in the trigger expression that caused a notification.	
{ITEM.NAME.ORIG<1-9>}	X			X	X	X														Original name (with macros not expanded) of the Nth item in the trigger expression that caused a notification. Supported since 2.0.6.	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
{ITEM.STATE<1-9>}						X															The latest state of the Nth item in the trigger expression that caused a notification. Possible values: <b>Not supported</b> and <b>Normal</b> . Supported since 2.2.0.
{ITEM.VALUE<1-9>}	X											X									Resolved to either: 1) the latest value of the Nth item in the trigger expression, if used for displaying triggers. In this case, works the same as {ITEM.LASTVALUE}. 2) the historical (at-the-time-of-event) value of the Nth item in the trigger expression, if used for displaying events and notifications. In both cases it will resolve to UNKNOWN if the history value has already been deleted or has never been stored. Supported since 1.4.3.
{LLDRULE.DESCRPTION}							X														Description of the low-level discovery rule which caused a notification. Supported since 2.2.0.
{LLDRULE.ID}							X														Numeric ID of the low-level discovery rule which caused a notification. Supported since 2.2.0.
{LLDRULE.KEY}							X														Key of the low-level discovery rule which caused a notification. Supported since 2.2.0.
{LLDRULE.KEY.ORIG}							X														Original key (with macros not expanded) of the low-level discovery rule which caused a notification. Supported since 2.2.0.
{LLDRULE.NAME}							X														Name of the low-level discovery rule which caused a notification. Supported since 2.2.0.
{LLDRULE.NAME.ORIG}							X														Original name (with macros not expanded) of the low-level discovery rule which caused a notification. Supported since 2.2.0.
{LLDRULE.STATE}							X														The latest state of the low-level discovery rule. Possible values: <b>Not supported</b> and <b>Normal</b> . Supported since 2.2.0.
{MAP.ID}									X												Network map ID.
{PROXY.DESCRPTION<1-9>}	X	X	X	X	X	X	X														Proxy description of the Nth item in the trigger expression that caused a notification. Supported since 2.4.0.
{PROXY.NAME<1-9>}	X	X	X	X	X	X	X														Proxy name of the Nth item in the trigger expression that caused a notification. Supported since 1.8.4.
{TIME}	X	X	X	X	X	X															Current time in hh:mm:ss.
{TRIGGER.DESCRPTION}	X			X																	Trigger description. Supported since 2.0.4. Starting with 2.2.0, all macros supported in a trigger description will be expanded if {TRIGGER.DESCRPTION} is used in notification text. {TRIGGER.COMMENT} is deprecated.





## Additional support for user macros

In addition to the locations listed, [user-definable](#) macros since Zabbix 2.0 are supported in numerous other locations:

- Hosts
  - Interface IP/DNS
  - Interface port
- Passive proxy
  - Interface port
- Items and item prototypes
  - SNMPv3 context name
  - SNMPv3 security name
  - SNMPv3 auth pass
  - SNMPv3 priv pass
  - SNMPv1/v2 community
  - SNMP OID
  - SNMP port
  - SSH username
  - SSH public key
  - SSH private key
  - SSH password
  - Telnet username
  - Telnet password
  - Calculated item [formula](#)
  - Trapper item “Allowed hosts” field (*since Zabbix 2.2*)
- Discovery
  - SNMPv3 context name
  - SNMPv3 security name
  - SNMPv3 auth pass
  - SNMPv3 priv pass
  - SNMPv1/v2 community
  - SNMP OID

## Macros used in low-level discovery

There is a type of macro used within the [low-level discovery](#) function - **{#MACRO}**. It is a macro that is used in an LLD rule and returns real values of file system names, network interfaces and SNMP OIDs.

These macros can be used for creating item, trigger and graph *prototypes*. Then, when discovering real file systems, network interfaces etc., these macros are substituted with real values and are the basis for creating real items, triggers and graphs.

These macros are also used in creating host and host group [prototypes](#) in virtual machine discovery.



LLD macros can be used:

- for item prototypes in
  - names
  - key parameters
  - SNMP OIDs
  - calculated item formulas
  - SSH and Telnet scripts
  - database monitoring SQL queries
  - descriptions (supported since 2.2.0)
- for trigger prototypes in
  - names
  - expressions (insofar as when referencing an item key prototype and as standalone constants)
  - descriptions (supported since 2.2.0)
- for graph prototypes in
  - names
- for host prototypes (supported since 2.2.0) in
  - names
  - visible names
  - host group prototype names
  - (see the [full list](#))

Some low-level discovery macros come “pre-packaged” with the LLD function in Zabbix - `{#FSNAME}`, `{#FSTYPE}`, `{#IFNAME}`, `{#SNMPINDEX}`, `{#SNMPVALUE}`. However, adhering to these names is not compulsory when creating a [custom](#) low-level discovery rule. Then you may use any other LLD macro name and refer to that name.

From:

<https://www.zabbix.com/documentation/2.4/> - **Zabbix Documentation 2.4**

Permanent link:

[https://www.zabbix.com/documentation/2.4/manual/appendix/macros/supported\\_by\\_location](https://www.zabbix.com/documentation/2.4/manual/appendix/macros/supported_by_location)

Last update: **2019/01/18 08:33**

