

3 Screens

Overview

On Zabbix screens you can group information from various sources for a quick overview on a single screen. Building the screens is quite easy and intuitive.

Essentially a screen is a table. You choose how many cells per table and what elements to display in the cells. The following elements can be displayed:

- simple graphs
- simple graph prototypes
- user-defined custom graphs
- custom graph prototypes
- maps
- other screens
- plain text information
- server information (overview)
- host information (overview)
- trigger information (overview)
- host/hostgroup issues (status of triggers)
- system status
- data overview
- clock
- history of events
- history of recent actions
- URL (data taken from another location)

Screens are managed in *Monitoring* → [Screens](#), where they can be configured, managed and viewed. They can also be added to the favourites section of *Monitoring* → [Dashboard](#).

To configure a screen you must first create it by defining its general properties and then add individual elements in the cells.

All users in Zabbix (including non-admin users) can create screens. Screens have an owner - the user who created them.

Screens can be made public or private. Public screens are visible to all users.

Private screens are visible to their owner. Private screens can be shared by the owner to other users and user groups. Regular (non-Super admin) users can only share with the groups and users they are member of. Private screens will be visible to their owner and the users the screen is shared with as long as they have read permissions to all screen elements. Admin level users, as long as they have read permissions to all screen elements, can see and edit private screens regardless of being the owner or belonging to the shared user list.


For both public and private screens a user must have at least read permissions to all screen elements in order to see the screen. To add an element to a screen a user must also have at least read permission to it.

Creating a screen

To create a screen, do the following:

- Go to *Monitoring* → *Screens*
- Go to the view with all screens
- Click on *Create Screen*


The **Screen** tab contains general screen attributes:



The screenshot shows the 'Screen' configuration interface. It has two tabs: 'Screen' (selected) and 'Sharing'. Under the 'Screen' tab, there are four input fields: 'Owner' with a dropdown menu showing 'Admin (Zabbix Administrator)' and a 'Select' button; 'Name' with a text input field containing 'Zabbix server'; 'Columns' with a text input field containing '2'; and 'Rows' with a text input field containing '2'. At the bottom of the form are two buttons: 'Add' and 'Cancel'.

Give your screen a unique name and set the number of columns (vertical cells) and rows (horizontal cells).

The **Sharing** tab contains the screen type as well as sharing options (user groups, users) for private screens:



The screenshot shows the 'Sharing' configuration interface. It has two tabs: 'Screen' and 'Sharing' (selected). Under the 'Sharing' tab, there are two sections. The first section is 'Type' with two radio buttons: 'Private' (selected) and 'Public'. Below this is 'List of user group shares' with a table:

USER GROUPS	PERMISSIONS	ACTION
Zabbix administrators	Read-only Read-write	Remove

Below the table is an 'Add' link. The second section is 'List of user shares' with a table:

USERS	PERMISSIONS	ACTION
user (New User)	Read-only Read-write	Remove

Below the table is an 'Add' link. At the bottom of the form are two buttons: 'Add' and 'Cancel'.

Parameter	Description
Owner	Select the screen owner.

Parameter	Description
<i>Type</i>	Select screen type: Private - screen is visible only to selected user groups and users Public - screen is visible to all
<i>List of user group shares</i>	Select user groups that the screen is accessible to. You may allow read-only or read-write access.
<i>List of user shares</i>	Select users that the screen is accessible to. You may allow read-only or read-write access.

Click on *Add* to save the screen.

Adding elements

To add elements to the screen, click on *Constructor* next to the screen name in the list.

On a new screen you probably only see links named *Change*. Clicking those links opens a form whereby you set what to display in each cell.

On an existing screen you click on the existing elements to open the form whereby you set what to display.

Screens: Zabbix server

Resource: Graph

Graph: Zabbix server 1: CPU load

Width:

Height:

Horizontal align: Left **Center** Right

Vertical align: Top **Middle** Bottom

Column span:

Row span:

Dynamic item:

Update Delete Cancel

New host: CPU load (1h)

	[avg]	last
Processor load (1 min average per core)	0.32	
Processor load (5 min average per core)	0.37	
Processor load (15 min average per core)	0.355	

Data from history. Generated in 0.30 sec.

Change

Zabbix server 1: CPU utilization (1h)

	[avg]	last	min	avg
CPU idle time	92.42 %	0 %	87.56 %	
CPU user time	3.5 %	1.97 %	2.71 %	
CPU system time	2.8 %	1.87 %	6.34 %	
CPU iowait time	1.3 %	0.93 %	2.06 %	
CPU nice time	0 %	0 %	0.73 %	
CPU interrupt time	0 %	0 %	0.000573 %	
CPU softirq time	0.48 %	0.27 %	0.58 %	
CPU steal time	0 %	0 %	0 %	

Data from history. Generated in 0.50 sec.

Change

New host: CPU utilization (1h)

	[avg]	last	min	avg
CPU idle time	62.4 %	35.73 %	71.3 %	
CPU user time	26.39 %	10.72 %	17.46 %	
CPU system time	11.3 %	6.68 %	10.31 %	
CPU iowait time	1.29 %	0.59 %	0.94 %	
CPU nice time	0 %	0 %	0.000695 %	
CPU interrupt time	0 %	0 %	0.007013 %	
CPU softirq time	0.09 %	0.02 %	0.07 %	
CPU steal time	0 %	0 %	0 %	

Data from history. Generated in 0.45 sec.

Change

Screen element attributes:

Parameter	Description
Resource	Information displayed in the cell: Action log - history of recent actions Clock - digital or analog clock displaying current server or local time Data overview - latest data for a group of hosts Graph - single custom graph Graph prototype - custom graph from low-level discovery rule History of events - latest events Host group issues - status of triggers filtered by the hostgroup (includes triggers without events, since Zabbix 2.2) Host issues - status of triggers filtered by the host (includes triggers without events, since Zabbix 2.2) Hosts info - high level host related information Map - single map Plain text - plain text data Screen - screen (one screen may contain other screens inside) Server info - server high-level information Simple graph - single simple graph Simple graph prototype - simple graph based on item generated by low-level discovery System status - displays system status (similar to the Dashboard) Triggers info - high level trigger related information Triggers overview - status of triggers for a host group URL - include content from an external resource
Horizontal align	Possible values: Center Left Right
Vertical align	Possible values: Middle Top Bottom
Column span	Extend cell to a number of columns, same way as HTML column spanning works.
Row span	Extend cell to a number of rows, same way as HTML row spanning works.

Take note of the '+' and '-' controls on each side of the table.

Clicking on '+' above the table will add a column. Clicking on '-' beneath the table will remove a column.

Clicking on '+' on the left side of the table will add a row. Clicking on '-' on the right side of the table will remove a row.

If graph height is set as less than 120 pixels, no trigger will be displayed in the legend.

Dynamic elements

For some of the elements there is an extra option called *Dynamic item*. Checking this box at first does not seem to change anything.

However, once you go to *Monitoring* → *Screens*, you may realize that now you have extra dropdowns there for selecting the host. Thus you have a screen where some elements display the same information while others display information depending on the currently selected host.

The benefit of this is that you do not need to create extra screens just because you want to see the same graphs containing data from various hosts.

Dynamic item option is available for several screen elements:

- Graphs (custom graphs)
- Graph prototypes
- Simple graphs
- Simple graph prototypes
- Plain text
- URL

Clicking on a dynamic graph opens it in full view; although with custom graphs and graph prototypes that is currently supported with the default host only (i.e. with host 'not selected' in the dropdown). When selecting another host in the dropdown, the dynamic graph is created using item data of that host and the resulting graph is not clickable.

Dynamic URL elements will not be displayed in *Monitoring* → *Screens*, unless a host is selected. Without a selected host the “No host selected” message will be visible only.

From:

<https://www.zabbix.com/documentation/3.0/> - **Zabbix Documentation 3.0**

Permanent link:

<https://www.zabbix.com/documentation/3.0/manual/config/visualisation/screens>

Last update: **2016/08/11 08:05**

