

# 7. IT services

## Overview

IT services are intended for those who want to get a high-level (business) view of monitored infrastructure. In many cases, we are not interested in low-level details, like the lack of disk space, high processor load, etc. What we are interested in is the availability of service provided by our IT department. We can also be interested in identifying weak places of IT infrastructure, SLA of various IT services, the structure of existing IT infrastructure, and other information of a higher level.

Zabbix IT services provide answers to all mentioned questions.

IT services is a hierarchy representation of monitored data.

A very simple IT service structure may look like:

```
IT Service
|
|-Workstations
| |
| |-Workstation1
| |
| |-Workstation2
|
|-Servers
```

Each node of the structure has attribute status. The status is calculated and propagated to upper levels according to the selected algorithm. At the lowest level of IT services are triggers. The status of individual nodes is affected by the status of their triggers.

Note that triggers with a *Not classified* or *Information* severity do not impact SLA calculation.

## Configuration

To configure IT services, go to: *Configuration* → *IT services*.

On this screen you can build a hierarchy of your monitored infrastructure. The highest-level parent service is 'root'. You can build your hierarchy downward by adding lower-level parent services and then individual nodes to them.

SERVICE	ACTION
root	<a href="#">Add child</a>
▼ SLA by service	<a href="#">Add child</a>
Server 1	<a href="#">Add child</a> <a href="#">Delete</a>
Server 2	<a href="#">Add child</a> <a href="#">Delete</a>
Server 3	<a href="#">Add child</a> <a href="#">Delete</a>
Server 4	<a href="#">Add child</a> <a href="#">Delete</a>
Server 5	<a href="#">Add child</a> <a href="#">Delete</a>

Click on *Add child* to add services. To edit an existing service, click on its name. A form is displayed where you can edit the service attributes.

### Configuring an IT service

The **Service** tab contains general service attributes:

**Service** Dependencies Time

Name

Parent service

Status calculation algorithm

Calculate SLA, acceptable SLA (in %)


Trigger

Sort order (0->999)

Parameter	Description
Name	Service name.
Parent service	Parent service the service belongs to.

Parameter	Description
Status calculation algorithm	Method of calculating service status: <b>Do not calculate</b> - do not calculate service status <b>Problem, if at least one child has a problem</b> - problem status, if at least one child service has a problem <b>Problem, if all children have problems</b> - problem status, if all child services are having problems
Calculate SLA	Enable SLA calculation and display.
Acceptable SLA (in %)	SLA percentage that is acceptable for this service. Used for reporting.
Trigger	Linkage to trigger: <b>None</b> - no linkage <b>trigger name</b> - linked to the trigger, thus depends on the trigger status Services of the lowest level must be linked to triggers. (Otherwise their state will not be represented accurately.) When triggers are linked, their state prior to linking is not counted.
Sort order	Sort order for display, lowest comes first.

The **Dependencies** tab contains services the service depends on. Click on *Add* to add a service from those that are configured.



### Hard and soft dependency

Availability of a service may depend on several other services, not just one. The first option is to add all those directly as child services.

However, if some service is already added somewhere else in the services tree, it cannot be simply moved out of there to a child service here. How to create a dependency on it? The answer is “soft” linking. Add the service and mark the *Soft* check box. That way the service can remain in its original location in the tree, yet be depended upon from several other services. Services that are “soft-linked” are displayed in grey in the tree. Additionally, if a service has only “soft” dependencies, it can be deleted directly, without deleting child services first.

The **Time** tab contains the service time specification.

Service
Dependencies
Time

Service times

New service time

TYPE	INTERVAL	NOTE
No times defined. Work 24x7.		

Period type Uptime

From Sunday Time hh : mm

Till Sunday Time hh : mm

[Add](#)

Update
Delete
Cancel

Parameter	Description
<i>Service times</i>	By default, all services are expected to operate 24x7x365. If exceptions needed, add new service times.
<i>New service time</i>	<p>Service times:</p> <p><b>Uptime</b> - service uptime</p> <p><b>Downtime</b> - service state within this period does not affect SLA.</p> <p><b>One-time downtime</b> - a single downtime. Service state within this period does not affect SLA.</p> <p>Add the respective hours.</p> <p><i>Note:</i> Service times affect only the service they are configured for. Thus, a parent service will not take into account the service time configured on a child service (unless a corresponding service time is configured on the parent service as well). Service times are taken into account when calculating IT service status and SLA by the frontend. However, information on service availability is being inserted into database continuously, regardless of service times.</p>

## Display

To monitor IT services, go to [Monitoring -> IT services](#).

From: <https://www.zabbix.com/documentation/3.0/> - **Zabbix Documentation 3.0**

Permanent link: [https://www.zabbix.com/documentation/3.0/manual/it\\_services](https://www.zabbix.com/documentation/3.0/manual/it_services)

Last update: **2016/01/05 08:26**

