

user.checkAuthentication

Description

object user.checkAuthentication

This method checks and prolongs user session.

Parameters

The method accepts the following parameters.

Parameter	Type	Description
extend	boolean	Default value: "true". Setting it's value to "false" allows to check session without extending it's lifetime. Supported since Zabbix 4.0.
sessionid	string	User session id.

Calling **user.checkAuthentication** method prolongs user session by default.

Return values

(object) Returns an object containing information about user.

Examples

Request:

```
{
  "jsonrpc": "2.0",
  "method": "user.checkAuthentication",
  "params": {
    "sessionid": "8C8447FF6F61D134CEAC740CCA1BC90D"
  },
  "id": 1
}
```

Response:

```
{
  "jsonrpc": "2.0",
  "result": {
    "userid": "1",
    "alias": "Admin",
    "name": "Zabbix",
    "surname": "Administrator",
    "url": ""
  }
}
```

```
"autologin": "1",
"autologout": "0",
"lang": "ru_RU",
"refresh": "0",
"type": "3",
"theme": "default",
"attempt_failed": "0",
"attempt_ip": "127.0.0.1",
"attempt_clock": "1355919038",
"rows_per_page": "50",
"debug_mode": true,
"userip": "127.0.0.1",
"sessionid": "8C8447FF6F61D134CEAC740CCA1BC90D",
"gui_access": "0"
},
"id": 1
}
```

Response is similar to [User.login](#) call response with “userData” parameter set to true (the difference is that user data is retrieved by session id and not by username / password).

Source

CUser::checkAuthentication() in *frontends/php/include/classes/api/services/CUser.php*.

From: <https://www.zabbix.com/documentation/4.0/> - **Zabbix Documentation 4.0**

Permanent link: <https://www.zabbix.com/documentation/4.0/manual/api/reference/user/user.checkauthentication>

Last update: **2019/01/28 14:50**

