

Appendix 2. Changes from 3.4 to 4.0

附录2. 从3.4到4.0的变更

Backward incompatible changes

非向后兼容的变更

General

通用

Changes:

[ZBXNEXT-4247](#) dropped support of the deprecated methods `user.updateprofile`, `user.addmedia`, `user.updatemedia`, `user.deletemedia`, `usergroup.massadd`, `usergroup.massupdate` and `usermedia.get`

[ZBXNEXT-4175](#) E-mail values in API methods `user.get`, `user.create` and `user.update` are represented as array if type of [Media type](#) is e-mail.

变化:

[ZBXNEXT-4247](#) 不再支持`user.updateprofile`, `user.addmedia`, `user.updatemedia`, `user.deletemedia`, `usergroup.massadd`, `usergroup.massupdate` and `usermedia.get` 这些已经弃用的方法。

[ZBXNEXT-4175](#) 如果[Media type](#)为e-mail类型, 则API方法中的E-mail值: `user.get`, `user.create` 和 `user.update` 将以数组方式呈现。

dashboard

Changes:

[ZBXNEXT-4516](#) renamed dashboard widget types: `actlog` ⇒ `actionlog`, `dscvry` ⇒ `discovery`, `favgrph` ⇒ `favgraphs`, `favmap` ⇒ `favmaps`, `favscr` ⇒ `favscreens`, `hoststat` ⇒ `problemhosts`, `navigatontree` ⇒ `navtree`, `stszbx` ⇒ `systeminfo`, `sysmap` ⇒ `map`, `syssum` ⇒ `problemsbystv` and `webovr` ⇒ `web`

仪表盘

变化:

[ZBXNEXT-4516](#) 重命名了仪表盘小工具的类型: `actlog` ⇒ `actionlog`, `dscvry` ⇒ `discovery`, `favgrph` ⇒ `favgraphs`, `favmap` ⇒ `favmaps`, `favscr` ⇒ `favscreens`, `hoststat` ⇒ `problemhosts`, `navigatontree` ⇒ `navtree`, `stszbx` ⇒ `systeminfo`, `sysmap` ⇒ `map`, `syssum` ⇒ `problemsbystv` and `webovr` ⇒ `web`

drule

Changes:

[ZBX-3783](#) discovery rules cannot be deleted when are used in actions

发现规则

变化:

[ZBX-3783](#) 如果发现规则正在动作中使用，那么该规则将不能被删除

Other changes and bug fixes

其他变更及Bug修复

General

通用

Changes:

[ZBXNEXT-4426](#) added a new task API introducing a new method `task.create`.

[ZBXNEXT-4152](#) added possibility to filter IDs by zero. For example: `host.get()` with option `{"proxyids": [0]}` will return hosts monitored by server.

变化:

[ZBXNEXT-4426](#) 添加了一个新的任务API引入了一个新方法“`task.create`”

[ZBXNEXT-4152](#) 增加了通过 零 来过滤id的可能性。例如：`host.get()` 中 `{"proxyids": [0]}`选项，将返回被zabbix server监控的主机。

apiinfo

Changes:

[ZBX-3783](#) added strict validation of input parameters for `version` method

api信息

变化:

[ZBX-3783](#) 增加了对“`version`”方法输入参数的严格验证

action

Changes:

[ZBXNEXT-2788](#) added support for not operator in custom expression filter formula
[ZBX-3783](#) added strict validation of input parameters for delete method; added audit

动作

变化:

[ZBXNEXT-2788](#) 在自定义表达式的筛选器公式中, 增加了对“not”运算符的支持
[ZBX-3783](#) 增加了对“delete”方法输入参数的严格验证; 添加了审计

correlation

Changes:

[ZBXNEXT-2788](#) added support for not operator in custom expression filter formula
[ZBX-3783](#) added strict validation of input parameters for delete method; added audit

相互关系

变化:

[ZBXNEXT-2788](#) 在自定义表达式的筛选器公式中, 增加了对“not”运算符的支持
[ZBX-3783](#) 增加了对“delete”方法输入参数的严格验证; 添加了审计

discoveryrule

Changes:

[ZBXNEXT-2788](#) added support for not operator in custom expression filter formula
[ZBXNEXT-2788](#) added support of value 9 in the filter condition operator

发现规则

变化:

[ZBXNEXT-2788](#) 在自定义表达式的筛选器公式中, 增加了对“not”运算符的支持
[ZBXNEXT-2788](#) 在过滤条件运算符中, 增加了数值“9”的支持

drule

Changes:

[ZBX-3783](#) added strict validation of input parameters for delete method

发现规则

Changes:

[ZBX-3783](#) 增加了对“delete”方法输入参数的严格验证

event

Changes:

[ZBXNEXT-4118](#) `event.get`: added a new property `evaltype` and extended `tags` property to support new value “<operator>”

[ZBXNEXT-4119](#) `event.get`: returns only problems and corresponding recovery events that match the tag based permission filters

事件

变化:

[ZBXNEXT-4118](#) `event.get`: 新增 `evaltype` 属性, 扩展 `tags` 属性以支持新的值 “<operator>”

[ZBXNEXT-4119](#) `event.get`: 只返回与基于权限筛选器的标记匹配的问题和相应的恢复事件

item

Changes:

[ZBXNEXT-4358](#) added new item type “HTTP agent”.

监控项

变化:

[ZBXNEXT-4358](#) 新增“HTTP agent”监控项类型。

itemprototype

Changes:

[ZBXNEXT-4200](#) `itemprototype.create`, `itemprototype.update`: added possibility to add regular items and web items as master items in `master_itemid` property.

监控项原型

Changes:

[ZBXNEXT-4200](#) `itemprototype.create`, `itemprototype.update`: 在`master_itemid`属性中, 添加了常规监控项和web监控项作为主监控项的可能性。

mediatype

Changes:

[ZBXNEXT-4144](#) password field for authentication type “Username and password” was made as optional.

媒介类型

Changes:

[ZBXNEXT-4144](#) 验证类型 “Username and password” 中的 password 字段变为选填项。

problem

Changes:

[ZBXNEXT-4118](#) `problem.get`: added a new property `evaltype` and extended `tags` property to support new value “<operator>”

[ZBXNEXT-4119](#) `problem.get`: returns only those events that match the tag based permission filters

问题

变化:

[ZBXNEXT-4118](#) `problem.get`: 新增 `evaltype` 属性, 扩展 `tags` 属性以支持新的值 “<operator>”

[ZBXNEXT-4119](#) `problem.get`: 只返回与基于权限筛选器的标记匹配的事件

proxy

Changes:

[ZBXNEXT-4411](#) added a new property `auto_compress`.

代理

变化:

[ZBXNEXT-4411](#) 新增属性 `auto_compress`

trigger

Changes:

[ZBXNEXT-4357](#) `trigger.get`: added a new `selectTriggerDiscovery` option that returns the trigger discovery object in the `triggerDiscovery` property

触发器

变化:

[ZBXNEXT-4357](#) `trigger.get`: 新增 `selectTriggerDiscovery` 选项, 该选项返回在 `triggerDiscovery` 属性中的触发器发现对象

usergroup

Changes:

ZBXNEXT-4119 `usergroup.get`: added a new `selectTagFilters` option that returns the array of the tag based permissions objects in the `tag_filters` property

ZBXNEXT-4119 `usergroup.create` and `usergroup.update`: added a new `tag_filters` property

用户组

变化:

ZBXNEXT-4119 `usergroup.get`: 新增 `selectTagFilters` 选项, 该选项返回在 `tag_filters` 属性中, 基于标签的权限对象数组

ZBXNEXT-4119 `usergroup.create` and `usergroup.update`: 新增 `tag_filters` 属性

From:

<https://www.zabbix.com/documentation/4.0/> - **Zabbix Documentation 4.0**

Permanent link:

https://www.zabbix.com/documentation/4.0/zh/manual/api/changes_3.4_-_4.0

Last update: **2018/12/26 10:46**

