

# application.massadd

## Description

object application.massadd(object **parameters**)

This method allows to simultaneously add multiple items to the given applications.

## Parameters

(object) Parameters containing the IDs of the applications to update and the items to add to the applications.

The method accepts the following parameters.

Parameter	Type	Description
<b>applications</b> (required)	array/object	Applications to be updated. The applications must have the <code>applicationid</code> property defined.
items	array/object	Items to add to the given applications. The items must have the <code>itemid</code> property defined.

## Return values

(object) Returns an object containing the IDs of the updated applications under the `applicationids` property.

## Examples

### Adding items to multiple applications

Add the given items to two applications.

Request:

```
{
  "jsonrpc": "2.0",
  "method": "application.massadd",
  "params": {
    "applications": [
      {
        "applicationid": "247"
      },
      {
        "applicationid": "246"
      }
    ]
  }
}
```

```
    ],
    "items": [
      {
        "itemid": "22800"
      },
      {
        "itemid": "22801"
      }
    ]
  },
  "auth": "038e1d7b1735c6a5436ee9eae095879e",
  "id": 1
}
```

## Response:

```
{
  "jsonrpc": "2.0",
  "result": {
    "applicationids": [
      "247",
      "246"
    ]
  },
  "id": 1
}
```

## See also

- [Item](#)

## Source

CApplication::massAdd() in *frontends/php/include/classes/api/services/CApplication.php*.

From: <https://www.zabbix.com/documentation/4.2/> - **Zabbix Documentation 4.2**

Permanent link: <https://www.zabbix.com/documentation/4.2/manual/api/reference/application/massadd>

Last update: **2019/01/28 14:51**

