

application.massadd

Description

object application.massadd(object **parameters**)

This method allows to simultaneously add multiple items to the given applications.

Parameters

(object) Parameters containing the IDs of the applications to update and the items to add to the applications.

The method accepts the following parameters.

Parameter	Type	Description
applications (required)	array/object	Applications to be updated. The applications must have the <code>applicationid</code> property defined.
items	array/object	Items to add to the given applications. The items must have the <code>itemid</code> property defined.

Return values

(object) Returns an object containing the IDs of the updated applications under the `applicationids` property.

Examples

Adding items to multiple applications

Add the given items to two applications.

Request:

```
{
  "jsonrpc": "2.0",
  "method": "application.massadd",
  "params": {
    "applications": [
      {
        "applicationid": "247"
      },
      {
        "applicationid": "246"
      }
    ]
  }
}
```

```
    ],
    "items": [
      {
        "itemid": "22800"
      },
      {
        "itemid": "22801"
      }
    ]
  },
  "auth": "038e1d7b1735c6a5436ee9eae095879e",
  "id": 1
}
```

Response:

```
{
  "jsonrpc": "2.0",
  "result": {
    "applicationids": [
      "247",
      "246"
    ]
  },
  "id": 1
}
```

See also

- [Item](#)

Source

CApplication::massAdd() in *ui/include/classes/api/services/CApplication.php*.

From: <https://www.zabbix.com/documentation/current/> - **Zabbix Documentation 5.0**

Permanent link: <https://www.zabbix.com/documentation/current/manual/api/reference/application/massadd>

Last update: **2020/05/05 11:10**

