

drule.update

Description

object drule.update(object/array **discoveryRules**)

This method allows to update existing discovery rules.

Parameters

(object/array) Discovery rule properties to be updated.

The `druleid` property must be defined for each discovery rule, all other properties are optional. Only the passed properties will be updated, all others will remain unchanged.

Additionally to the [standard discovery rule properties](#), the method accepts the following parameters.

Parameter	Type	Description
dchecks	array	Discovery checks to replace existing checks.

Return values

(object) Returns an object containing the IDs of the updated discovery rules under the `druleids` property.

Examples

Change the IP range of a discovery rule

Change the IP range of a discovery rule to "192.168.2.1-255".

Request:

```
{
  "jsonrpc": "2.0",
  "method": "drule.update",
  "params": {
    "druleid": "6",
    "iprange": "192.168.2.1-255"
  },
  "auth": "038e1d7b1735c6a5436ee9eae095879e",
  "id": 1
}
```

Response:

```
{  
  "jsonrpc": "2.0",  
  "result": {  
    "druleids": [  
      "6"  
    ]  
  },  
  "id": 1  
}
```

See also

- [Discovery check](#)

Source

CDRule::update() in *frontends/php/include/classes/api/services/CDRule.php*.

From:
<https://www.zabbix.com/documentation/current/> - **Zabbix Documentation 4.4**

Permanent link:
<https://www.zabbix.com/documentation/current/manual/api/reference/drule/update>

Last update: **2020/02/12 08:04**

