



5 What's new in Zabbix 5.0.0

Vertical menu

A modern vertical menu in a sidebar replaces the horizontal menu in the new version.



The menu can be collapsed or hidden completely:



When the menu is collapsed, a full menu reappears as soon as the mouse cursor is placed upon it. Even when the menu is hidden completely, a full menu is just one mouse click away. See [additional details](#).

String comparison allowed

String comparison is now allowed in triggers, using the = (equal) and <> (not equal) operators.

So, for example, it is now possible to define triggers that create alarm if the strings returned by two items are different:

```
{Local Zabbix server:vfs.file.contents[/etc/os-release].last()}<>{Remote Zabbix server:vfs.file.contents[/etc/os-release].last()}
```

String comparison is also possible in calculated items.


Test item from UI

In previous Zabbix versions, it was difficult to tell if a newly-configured [item](#) was configured correctly or not. For that you needed to wait until the item tried to gather some data.

In the new version it is possible to test the item (template item, item prototype, low-level discovery rule) from the user interface even before saving and, if configured correctly, get a real value in return.

Item testing is not supported for active items and some simple checks (icmping*, vmware.* items).

To test the item, click on the *Test* button at the bottom of the item configuration form.



The screenshot shows a portion of the Zabbix web interface for configuring an item. It features a text input field labeled 'Description' containing the text 'Space utilization in % for /'. Below this is a checkbox labeled 'Enabled' which is checked. At the bottom of the form, there are three buttons: 'Add' (a solid blue button), 'Test' (a white button with a blue border), and 'Cancel' (a white button with a blue border). A green arrow points to the 'Test' button.

The item testing form has fields for the required host parameters (host address, port, proxy name/no proxy). These fields are context aware:

- The values are pre-filled when possible, i.e. for items requiring an agent, by taking the information from the selected agent interface of the host
- The values have to be filled manually for template items
- The fields are disabled when not needed in the context of the item type (e.g. the host address field is disabled for calculated and aggregate items, the proxy field is disabled for calculated items)

To test the item, click on *Get value*. If the value is retrieved successfully, it will fill the *Value* field.

Test item

Get value from host

Host address Port

Proxy

Value Time

Previous value Prev. time

End of line sequence LF CRLF

Name	Result
1: Discard unchanged	No value

Result No value

A successfully retrieved value from host can also be used to test the preprocessing steps.

In fact, the item testing form is an extension of the preprocessing testing form already known in recent Zabbix versions. So if previously you could test preprocessing steps only against a hypothetical input value, now it is also possible to test preprocessing against a real test value just received.

To test the preprocessing steps against the real value, click on *Get value and test*.

See also:

- [Testing an item](#)
- [Testing preprocessing steps](#)

Execute now

In a related development the *Check now* option has been renamed to *Execute now*, to avoid confusing it with the item testing functionality.

No data triggers sensitive to proxy availability

No data triggers are now, by default, sensitive to proxy availability - the 'nodata' triggers will not fire immediately after a restored connection, but will skip the data for the delayed period.

Suppression is turned on:

- for passive proxies - if connection is restored more than 15 seconds and no less than 2 & ProxyUpdateFrequency seconds later
- for active proxies - if connection is restored more than 15 seconds later

You may also turn off sensitiveness to proxy availability, using the new second parameter, e.g.: nodata(5m,strict). In this case the function will work the same as before and fire as soon as the evaluation period (five minutes, in this case) without data is past.

It is also possible to monitor how long data are delayed on the proxy using the new `zabbix[proxy,<proxy name>,delay]` [internal item](#).


Custom frontend modules

It is now possible to enhance Zabbix frontend functionality by adding 3rd party modules or by developing your own modules without the need to change the source code of Zabbix. See [Modules](#) for more information.

Copy and paste widgets


Dashboard widgets can be copied and pasted in the new version. They can be copy-pasted within the same dashboard, or between dashboards opened in different tabs.

A widget can be copied using the [widget menu](#):



Then the copied widget can be used to create a new widget with the same properties. To paste a widget:

- use the *Paste widget* button when editing the dashboard
- use the *Paste widget* option when adding a new widget by selecting some area in the dashboard (a widget must copied first for the paste option to become available)



A copied widget can also be used to paste over an existing widget using the *Paste* option in the widget menu.

Managing large numbers of hosts


Several improvements have been made to make it easier to work with large numbers of hosts and other elements.

A consistent Zabbix feature in previous versions was the presence of many dropdowns for host and host group selection, and sometimes also for selecting other elements like graphs. Typical locations for these dropdowns included top of the page and popups. In the new version that has been changed in many locations (see the list of locations below):

- multi-select fields have replaced dropdowns in popups
- multi-select fields have replaced many dropdowns that were located top of the page; many of these fields have also been moved into filters

Note that:

- two host group and host dropdowns are in places changed to a single host multi-select field followed by a *Select* popup for host group selection
- there is also a new option to search for graph name pattern:



- filtering by host has been added to trigger/data overview pages and widgets
- the *Rows per page* [setting](#) from user profile is applied to web monitoring, host inventory overview and availability report pages
- hardcoded limit of 50 records without pagination is applied to trigger/data overview pages and widgets

Please see individual pages for details on changed host/host group/graph/etc selection:

- Monitoring:
 - Dashboard (host selection with [dynamic widgets](#))
 - [Host graphs](#)
 - [Host web scenarios](#)
 - [Trigger overview](#)
 - [Data overview](#)
 - Screens/slide shows (host selection with [dynamic screen elements](#))
- Inventory:
 - [Host inventory overview](#)
 - [Host inventory](#)
- Reports:

- [Availability report](#) (by host)
- Configuration lists:
 - [Hosts](#)
 - [Templates](#)
 - [Applications](#)
 - [Graphs](#)
 - [Web scenarios](#)

Overriding in LLD rules

It is now possible to filter out items, triggers, hosts and graphs or override their attributes during [low-level discovery](#) based on LLD object and prototype name.

IPMI sensor discovery

A new `ipmi.get` IPMI item has been added that returns a JSON with IPMI-sensor related information. This item can be used for the [discovery of IPMI sensors](#).

Item key limit raised

The maximum allowed length of an item key has been raised from 256 to 2048 characters.

Extended range of numeric (float) values

Numeric (float) data type now supports precision of approximately 15 digits and range from approximately $-1.79E+308$ to $1.79E+308$ (with exception of [PostgreSQL 11 and earlier versions](#)). This is by default for new installations. For upgraded installations, a [manual patch](#) must be applied.


ODBC monitoring without DSN

A new `connection` string parameter has been added to `db.odbc.*` items. Now [Database monitor](#) items can be configured in two ways:

- Using the data source name as set in `/etc/odbc.ini`
- Using a connection string

Find and replace preprocessing step

A new item value [preprocessing](#) option has been added allowing to find and replace a specified string with another:



This step has two parameters:

- *search string* - the string to search for
- *replacement* - the string to replace the search string with. The replacement string may also be empty effectively allowing to delete the search string when found.

Nanosecond support by Zabbix sender input file

A new Zabbix sender option

```
-N, --with-ns
```

allows to support nanoseconds in a Zabbix sender input file. This option can be only used together with the `--with-timestamps` option, e.g.:

```
zabbix_sender -z 127.0.0.1 --with-timestamps --with-ns -i values.txt
```

This option specifies that each line of the input file contains the following, whitespace-delimited: `<host> <key> <timestamp> <ns> <value>`, e.g.:

```
Zabbix server" trap001 1429533600 748744024 43
Zabbix server" trap001 1429533600 748791234 44
```

Secure connections to Zabbix database

It is now possible to configure secure TLS connections to MySQL and PostgreSQL databases from:

- [Zabbix frontend](#)
- [Zabbix server or proxy](#)

Restricting agent checks

It is possible to restrict checks on the agent side by creating a whitelist or blacklist of allowed item keys.

Whitelist/blacklist is created using a combination of two new agent [configuration](#) parameters:

- `AllowKey=<pattern>` - which checks are allowed; `<pattern>` is specified using a wildcard (*)

expression

- DenyKey=<pattern> - which checks are denied; <pattern> is specified using a wildcard (*) expression

See also: [Restricting agent checks](#)

Stronger cryptography for passwords

A stronger bcrypt cryptography is now used for hashing user passwords instead of MD5. The change to the stronger cryptography after the upgrade is automatic, i.e. no effort on the user side is required. Note that passwords longer than 72 characters will be truncated.

Using HTTP proxy in webhooks

It is now possible to specify an HTTP proxy when configuring a [webhook](#). The new HTTPProxy parameter is listed in the webhook parameter list by default with an empty value.

When specifying the proxy value the same functionality as in the item configuration [HTTP proxy](#) field is supported.

Discovery rule filtering


The list of low-level discovery rules previously was always linked to a single host, making it impossible to view all discovery rules in one place or filter the ones of a specific host group or those having errors.

In the new version, the list of [low-level discovery rules](#) contains a filter allowing to filter by host group, host, discovery item type, discovery rule state and other parameters. Additionally, the added first column in the list now always displays the host of the discovery rule.

New mass update options

It is now possible to:

- Mass update user macros defined on a host or template level
- Mass unlink templates when using host or template mass update:




See also:

- Host mass [update](#)
- Template mass [update](#)

Default messages for each media type

It is now possible to specify default message templates for each event type when defining [media types](#).



Thus default message editing no longer takes place when configuring action [operations](#).

Problem acknowledgement

Several improvements have been made to the [problem update](#) screen used for problem acknowledgement and other problem update operations:

- The problem name is displayed (or *N problems selected* if there is more than one problem)
- Size of the problem update message has been increased from 256 to 2048 characters
- It is now possible to unacknowledge problems (see below)

Unacknowledge option

Problems may sometimes be acknowledged by mistake so to remedy this situation it is now also possible to unacknowledge problems. A problem may be unacknowledged in the [problem update](#) screen.

Update problem [X]

Problem /: Disk space is critically low (>90% used)

Message

History	Time	User	User action	Message
	2020-05-07 11:37:19	Admin (Zabbix Administrator)	✓	
	2020-05-07 11:27:50	Admin (Zabbix Administrator)	✗	
	2020-05-07 11:27:43	Admin (Zabbix Administrator)	✓	Ok

Scope

Only selected problem

Selected and all other problems of related triggers 1 event

Change severity Not classified Information Warning Average High Disaster

Unacknowledge

In the problem history list unacknowledgement gets a special icon: ✗

SNMP credentials at host interface level

SNMP version and credentials in previous versions were set at an item level. In the new version, all of these can be set at a host interface level:

The screenshot shows the Zabbix host configuration interface. At the top, there are navigation tabs: Host, Templates, IPMI, Tags, Macros, Inventory, and Encryption. The 'Host' tab is selected. The form contains several fields: 'Host name' with the value 'Zabbix server', 'Visible name' (empty), 'Groups' with 'Zabbix servers' selected, and 'Interfaces' with 'Agent' selected and IP address '127.0.0.1'. Below the interfaces, there is an 'SNMP' section with IP address '127.0.0.1'. A green box highlights the 'SNMP version' dropdown menu (set to 'SNMPv2') and the 'SNMP community' text input field (containing '{\$SNMP_COMMUNITY}'). At the bottom, there is a checked checkbox for 'Use bulk requests'.

See also: [Configuring SNMP monitoring](#)

When creating an item, the item type dropdown no longer has three entries for SNMP v1, v2 and v3 agent. Instead there is just an *SNMP agent* type and the ability to select the SNMP interface as required.

Manual SNMP cache clearing

Zabbix server and Zabbix proxy now support an `-R snmp_cache_reload` runtime control [option](#), which reloads the SNMP cache and clears the SNMP properties (engine time, engine boots, engine id, credentials) for all hosts. Net-SNMP version 5.3.0 or higher is required.

Email threading

Email notifications related to the same event are now grouped into one thread.

Elasticsearch 7 support

Elasticsearch version 7.X is now supported. Support of older Elasticsearch versions has been dropped.

SAML authentication

SAML 2.0 [authentication](#) is now supported for logging into Zabbix.

Webhook integrations

New integrations are available allowing to use the [webhook](#) media type for pushing Zabbix notifications to:

- [Jira](#)
- [Jira Service Desk](#)
- [Microsoft Teams](#)
- [Redmine](#)
- [ServiceNow](#)
- [SIGNL4](#)
- [Telegram](#)
- [Zammad](#)
- [Zendesk](#)

Zabbix agent 2

Zabbix agent 2, first introduced on an experimental basis in Zabbix 4.4, is now officially supported. The functionality of the agent 2 has been extended:

Windows support

Agent 2 can now be compiled from sources on the Windows platform.

Docker monitoring plugin

A Docker plugin for Zabbix agent 2 is now available as part of the out-of-the-box monitoring of Docker containers (see list of supported [keys](#)).

Memcached monitoring plugin

A Memcached plugin for Zabbix agent 2 is now available as part of the out-of-the-box monitoring of Memcached instances (see [description](#)).

MySQL monitoring plugin

A MySQL plugin for Zabbix agent 2 is now available as part of the out-of-the-box monitoring of MySQL instances (see [description](#)).

Agent 2 plugins update

Passing a URI, username and password via plugin configuration parameters is now supported only for

named sessions. As such, parameters in a format `Plugins.<PluginName>.Uri`, `Plugins.<PluginName>.User`, `Plugins.<PluginName>.Password` are no longer supported. Named session parameters in a format `Plugins.<PluginName>.Sessions.<SessionName>.Uri`, `Plugins.<PluginName>.Sessions.<SessionName>.Password`, `Plugins.<PluginName>.Sessions.<SessionName>.User` can be used.

Alternatively, a URI, username and password can be provided in the item key parameters directly.

See also:

- [Zabbix agent 2](#)
- [Plugins](#)
- [Building Zabbix agent 2 on Windows](#)

Macros

Ability to mask macro content in the frontend

Macro value field now has *Secret text* mode. If enabled, it masks the content of a macro with asterisks to protect sensitive information, such as passwords or shared keys.

Macros supported in host prototypes

User macros can now be defined for host prototypes and LLD macros can be used in the macro value fields (the LLD macro will be resolved when a host is created from the prototype).

User macros supported in IPMI credentials

User macros are now supported in IPMI username and password fields in [host configuration](#).

New macros

The following macros are now supported:

- `{EVENT.DURATION}` will return the duration of an event.
- `{EVENT.TAGSJSON}` and `{EVENT.RECOVERY.TAGSJSON}` macros will resolve to a JSON array containing event tag [objects](#) or recovery event tag objects.

For more details, see [Macros supported by location](#).

Updated macros

- `{HOST.ID}` is now supported in trigger-based notifications and commands, problem update notifications and internal notifications.

Databases

Support of IBM DB2 dropped

The IBM DB2 database can no longer be used as a back-end database for Zabbix.

Minimum required versions updated

The minimum required versions for supported [databases](#) now are:

- MySQL 5.5.62
- MariaDB 10.0.37
- PostgreSQL 9.2.24
- Oracle 11.2

TimescaleDB native compression support

TimescaleDB native compression is now supported in Zabbix server installations with PostgreSQL version 10.2 or higher and TimescaleDB version 1.5 or higher.

New templates

New official templates are available for monitoring:

Elasticsearch

- *Template App Elasticsearch Cluster by HTTP* - native template to [monitor Elasticsearch](#).

ClickHouse

- *Template DB ClickHouse* - collects node metrics from ClickHouse HTTP interface using HTTP agent. (see [description](#)).

Memcached

- *Template App Memcached* - Memcached server monitoring via Zabbix agent 2.

MySQL

- *Template DB MySQL by Zabbix agent 2* - DBMS MySQL and its forks monitoring via Zabbix agent 2.

Docker

- *Template App Docker* - Docker monitoring via Zabbix agent 2.

Server

- *Template Server Chassis by IPMI* - server chassis monitoring with BMC over IPMI.

You can get these templates:

- In *Configuration* → *Templates* in new installations;
- When upgrading from previous versions, the latest templates can be downloaded from the [Zabbix Git repository](#) and manually imported into Zabbix in the *Configuration* → *Templates* section. If a template with the same name already exists, check the *Delete missing* option before importing to achieve a clean import. This way the items that have been excluded from the updated template will be removed (note, that history of the deleted items will be lost).

Items

- The `zabbix[stats,<ip>,<port>]` [internal item](#) now also returns version of Zabbix server or Zabbix proxy
- A new `zabbix[version]` internal item has been added returning the version of Zabbix server or Zabbix proxy

Frontend

Minimum required PHP version

The minimum required PHP version has been upped from 5.4.0 to 7.2.0.


Support of Internet Explorer 11 dropped

Microsoft Internet Explorer 11 is no longer supported by Zabbix.

Page selection dropdown integrated into headings

Some frontend sections in Zabbix may display a different page depending on user selection. For example, *Administration* → *General* may display twelve different pages.

Previously, the page selection was made in a rather small, easy-to-miss dropdown located in the top right corner of the page. Now that selection has been integrated into the headings on the left.



This change affects the following sections:

- *Monitoring* → *Overview*
- *Monitoring* → *Screens*
- *Configuration* → *Actions*
- *Administration* → *General*
- *Administration* → *Queue*

New section for monitoring all hosts


The new frontend section *Monitoring* → *Hosts* provides detailed view of all monitored devices in a single location. To simplify the navigation *Web* and *Graphs* sections have been removed from the main menu in *Monitoring*. Both sections can now be accessed by clicking on respected links in *Monitoring* → *Hosts* section.

The following information is available from *Monitoring* → *Hosts*:

- Hostname
- Main interface
- Availability
- Tags
- Problems (icons indicating currently open problems)
- Status
- Latest data (link to *Latest data* section)
- Problems (number of open problems and a link to *Problems* section)
- Graphs (number of graphs and a link to *Graphs* section)
- Screens (number of screens and a link to *Screens* section)

- Web scenarios (number of web scenarios and a link to *Web* section)

Links in the list above provide a convenient way to view corresponding page with more details about the given host. Users with admin and superadmin rights can also quickly navigate to the host's configuration page from the section. See [this page](#) for more details.



Name	Interface	Availability	Tags	Problems	Status	Latest data	Problems	Graphs	Screens	Web
Zabbix server	127.0.0.1:10050	OK		1	Enabled	Latest data	Problems 1	Graphs 28	Screens 3	Web

Detail editing as popup window

In several configuration sections of Zabbix frontend detail editing is now opened as a popup window. This is implemented for:

- Action conditions
- Global correlation conditions
- Problem update screen
- Action operation details
 - in the [Operations](#), [Recovery operations](#) and [Update operations](#) tabs
- Maintenance period details
 - in the [Periods](#) tab
- Discovery rule details
 - see discovery [check](#) editing

In many cases this change allows to de-clutter the interface of having to configure too many options in one screen. For example, details of an action operation are now opened in a separate popup window.

The screenshot displays the Zabbix configuration interface for an operation. The main area is titled "Operation details" and includes the following fields and sections:

- Operation type:** A dropdown menu set to "Send message".
- Steps:** Two input boxes, both containing "1", with "(0 - infinitely)" to the right.
- Step duration:** An input box containing "0", with "(0 - use action default)" to the right.
- Message:** A red asterisk warning: "* At least one user or user group must be selected."
- Send to User groups:** A table with columns "User group" and "Action". It contains one row with "User group" and "Action" and an "Add" link below.
- Send to Users:** A table with columns "User" and "Action". It contains one row with "User" and "Action" and an "Add" link below.
- Send only to:** A dropdown menu set to "- All -".
- Default message:** A checked checkbox.
- Conditions:** A table with columns "Label", "Name", and "Action". It contains one row with "Label", "Name", and "Action" and an "Add" link below.

On the left sidebar, there are sections for "Default subject" (Problem: {EVENT.N...}), "Default message" (Problem started at {...}, Problem name: {EV...}, Host: {HOST.NAME...}, Severity: {EVENT.S...}, Original problem ID: {TRIGGER.URL}), "Assigned problems" (checked), and "Operations" (a table with one row: "1 Send messa...", "Add"). At the bottom of the sidebar are "Update" and "Clone" buttons. A red asterisk warning at the bottom of the sidebar reads: "* At least one operation, rec...".

New filtering options for dashboard widgets

Dashboard widgets [Problems by severity](#) and [Problem hosts](#) now support filtering problems by tags.

Ability to download graph widgets as images

Screenshots of [Graph](#) widget and [Graph \(classic\)](#) widget can now be downloaded as .png files from the widget context menu.

Filtering problems by severities in Monitoring->Problems

Problems displayed in the *Monitoring*→ *Problems* section can now be filtered by one or several individually selected severities. Previously, there was only filtering by the minimum severity level available.

Webhook media type test usability improved

It is now possible to view log entries during a webhook [media type test](#).

Miscellaneous

- The latest data page no longer displays nothing when opened for the first time.
- The list of web scenario HTTP user agents has been updated.

Daemons

Remote command logging on agent

Remote command logging, if enabled on Zabbix [agent/agent2](#) (LogRemoteCommands=1) will no longer create log entries for system.run[] if it is launched locally by HostMetadataItem, HostInterfaceItem or HostnameItem parameters. system.run[] commands will be logged only if executed remotely.

Persistent storage on agent2

Zabbix agent2 is now able to store collected data for active checks in a persistent buffer (disabled by default). The following [configuration parameters](#) have been added:

- *EnablePersistentBuffer*
- *PersistentBufferPeriod*
- *PersistentBufferFile*

Crypto libraries

Support of the mbedTLS (PolarSSL) crypto library has been discontinued.

JMX monitoring attributes with tabular data

Support of [tabular data](#) objects in JMX Mbean attributes has been added. It is supported for the JMX agent data collection and low-level discovery.

From:

<https://www.zabbix.com/documentation/current/> - **Zabbix Documentation 5.0**

Permanent link:

<https://www.zabbix.com/documentation/current/manual/introduction/whatsnew500>

Last update: **2020/09/15 07:54**

